

CONTENTS OF VOLUME 8, 1995

Numbers 1–2

| | | |
|---|---|----------|
| V.E. Zuev | History of the Institute of Atmospheric Optics of the Siberian Branch of the Russian Academy of Sciences and main stages of its activity for 25 years (1969–1994) | 1(1) |
| S.D. Tvorogov | Problem of spectral line periphery in atmospheric optics | 7(18) |
| M.V. Kabanov | Progress in atmospheric optics and monitoring of the physical state of the atmosphere | 14(31) |
| V.A. Banakh and V.L. Mironov | Backscatter amplification effects in laser detection and ranging through a turbulent atmosphere | 23(50) |
| V.A. Banakh | Intensity fluctuations of laser beams in a turbulent atmosphere | 33(69) |
| A.A. Zemlyanov | Nonlinear propagation of laser beams through the atmosphere | 44(89) |
| V.V. Belov | Theory of linear systems in dispersion media optics | 58(116) |
| B.D. Belan, V.E. Zuev, and M.V. Panchenko | Main results of airborne sounding of aerosol conducted at the Institute of Atmospheric Optics from 1981 till 1991 | 66(131) |
| L.N. Sinitsa | Highly sensitive laser spectroscopy of atmospheric gases | 80(157) |
| V.I. Starikov and Vl.G. Tyuterev | Method of intramolecular interaction theory in spectroscopy of nonrigid molecules | 93(181) |
| V.E. Zuev and G.A. Titov | Radiation effects in broken cloudiness | 105(201) |
| Yu.N. Ponomarev | Laser photo-acoustic spectroscopy of the atmosphere | 116(224) |
| G.G. Matvienko | Development of methods for lidar sensing of aerosol atmosphere | 125(242) |
| E.P. Gordov | Autodyne lidars of the second generation | 137(265) |
| V.P. Lukin | Some peculiarities of using the adaptive optical systems in the atmosphere | 145(280) |

Number 3

| | | |
|---|--|----------|
| V.P. Lukin | Preface | 151(299) |
| V.P. Lukin | Adaptive formation of beams and images in the turbulent atmosphere | 152(301) |
| R. Ragazoni and E. Marchetti | Rayleigh vs. sodium beacon for a partial correction over wide field of view | 174(342) |
| L.J. Sanchez P and R.G. Petrov | About the optimization of partially correcting adaptive optics | 177(347) |
| V. Biliotti, D. Bonaccini, G. Brusa, M. Carrabba, M. Cecconi, S. Esposito, M. Gatti, E. Marchetti, and R. Ragazzoni | An Italian sample of high resolution optical activities | 182(356) |
| D.A. Bezuglov, E.N. Mishchenko, and S.E. Mishchenko | Adaptive optical systems. Methods of phase-front reconstruction and development of system structure and new element base (Review of published works) | 186(364) |
| S.A. Pokotilo | Stabilization of image quality in atmospheric adaptive opto-electronic observational systems | 194(381) |
| G.L. Degtyarev, A.V. Makhan'ko, and A.S. Chernyavskii | Algorithm for automatic adjustment of a segmented mirror to an arbitrary radiation source | 198(388) |
| O.M. Vokhnik, V.A. Spazhakin, and I.V. Terent'eva | Experimental study of output energy parameters of a solid laser with SBS-mirror | 201(393) |
| D. Bezuglov and E. Mishchenko | Optimum estimation of phase-front local tilts measured with a Hartmann sensor against the background of the Poisson noise | 203(397) |
| E.A. Vitrichenko, G.E. Popova, S.M. Chernyavskii, and N.K. Yunusov | Statistical analysis of the wave front distortions in the atmosphere by Hartmann film | 207(405) |
| V.P. Lukin, F.Yu. Kanev, P.A. Konyaev, and B.V. Fortes | Numerical model of the atmospheric adaptive optical system. I. Laser beam propagation in the atmosphere | 210(409) |
| V.P. Lukin, F.Yu. Kanev, P.A. Konyaev, and B.V. Fortes | Numerical model of an atmospheric adaptive optical system. II. Wave-front sensors and control elements | 215(419) |

| | | |
|---|--|----------|
| V.P. Lukin, F.Yu. Kanev, P.A. Konyaev, and B.V. Fortes | Numerical model of atmospheric adaptive optical system. III. A computer version of the model | 220(429) |
| V.P. Lukin and B.V. Fortes | The influence of wave-front dislocations on the phase conjugation instability at compensation for thermal blooming | 223(435) |
| N.N. Maier and V.A. Tartakovskii | Phase dislocations and minimal-phase representation of the wave function | 231(448) |
| I.P. Lukin | Potentialities of the methods of postdetector processing of images of incoherently illuminated objects observed through a turbulent atmosphere | 235(455) |
| V.A. Banakh, V.M. Sazanovich, and R.Sh. Tsvykh | Experimental study of high-power radiation propagation along an atmospheric path | 241(467) |
| I.P. Lukin | Integral resolution of the turbulent atmosphere– telescope optical system | 248(479) |
| V.M. Loginov | Solitons and stochastic noise diagnostics | 251(484) |

Number 4

| | | |
|---|---|----------|
| L.E. Paramonov | Extinction matrix of an ensemble of particles with arbitrary shapes and orientation | 255(499) |
| Yu.I. Terent'ev | Factors engendering the edge wave affected by absorptivity, thickness, and shape of a diffraction screen | 262(510) |
| V.G. Gusev | Formation of shear interferograms by diffusely scattered light fields at a double-exposure recording of the Fourier hologram with a microscope | 269(521) |
| A.V. En'shin | Propagation of bimharmonic laser radiation resonant to spin frequencies through the atmospheric and inert gases. Part 1 | 275(532) |
| D.N. Romashov, V.A. Yachmenev, and R.F. Rakhimov | Calculation formulas for the method of perturbation of the Mie scatterer shape on the basis of vector spherical harmonics according to the angular momentum quantum theory | 280(540) |
| A.A. Adamenkov, Yu.N. Bulkin, Yu.N. Kolobyanin, and E.A. Kudryashov | Measurements of the NH ₃ and SO ₂ absorption coefficients at the CO ₂ -laser lines | 285(549) |

| | | |
|--|--|----------|
| O.K. Voitsekhovskaya and A.B. Smirnov | Parameters of individual multiplet components in the spectrum of molecular oxygen with ^{17}O isotope | 288(554) |
| V.I. Starikov | Approximation formulas for spectroscopic parameters of slightly asymmetric molecules with internal rotation | 291(560) |
| V.P. Kochanov and Yu.V. Maltseva | Spectral manifestations of collisional and field interference of lines in a three-level system with split ground state | 296(569) |
| V.G. Monoshkina and I.A. Sutorikhin | Comparative study of the aerosol spectra in the ground atmospheric layer over Altai region | 301(579) |
| E.R. Milyutin and A.A. Taklaya | Distribution of fluctuations in a received power due to laser beamwidth fluctuations in the turbulent atmosphere | 303(583) |
| S.I. Babkin and G.V. Grusha | Estimation of error in humidity of the turbulent atmosphere measured using the radioacoustic sounding phase difference technique | 307(589) |
| Yu.V. Pavutnitskii, D.S. Smirnov, I.A. Fedorov, and M.V. Shilenkov | Experimental investigation of the mechanism of brightening of a dispersed medium moving in the field of high-power chemical HF cw laser radiation at low ambient pressure | 311(596) |
| E.I. Tolkova | Interferometric techniques for constructing a triple correlation function of a remote object from a single exposure | 314(602) |
| C. Varotsos and K.Ya. Kondrat'ev | Interrelationship between solar ultraviolet radiation and total ozone content: Observations in Greece | 317(608) |
| C. Varotsos and K.Ya. Kondrat'ev | The tropospheric pollution and the solar ultraviolet radiation | 320(614) |
| B.D. Belan, G.O. Zadde, and A.I. Kuskov | Spectra of the atmospheric transmission variations | 323(619) |
| V.G. Arshinova, B.D. Belan, T.M. Rasskazchikova, A.N. Rogov, and G.N. Tolmachev | Variation of the ozone concentration in the ground atmospheric layer by the passage of atmospheric fronts | 326(625) |
| V.M. Klimkin and V.N. Fedorishchev | Examination of the possibility to suppress background fluorescence signals from water relevant to the problems of oil films remote detection | 329(632) |

| | | |
|---|---|----------|
| A.B. Gavrilovich, A.P. Ivanov, and V.E. Polyanin | Instrumentation for studying the polarization characteristics of radiation scattered by the atmosphere | 333(640) |
| Yu.E. Pol'skii and N.V. Filippova | Interferometric counters of aerosol particles (Current status and methods of development) | 337(648) |
| V.S. Komarov and A.V. Kreminskii | Application of MMCA* algorithms to numerical retrieval (prediction) of vertical temperature profiles in the atmospheric layer below clouds from satellite measurements | 340(654) |

Number 5

| | | |
|--|--|----------|
| T.A. Sushkevich, E.L. Ignat'eva, and S.V. Maksakova | Method of spherical harmonics: exact three- dimensional models to compute density and flux of optical radiation in natural media | 343(667) |
| S.D. Andreev, L.S. Ivlev, E.F. Mikhailov, and A.A. Kiselev | Optical characteristics of smoke particles | 355(687) |
| D.M. Kabanov, S.M. Sakerin, and S.A. Turchinovich | Automation of solar radiation standard parameters measurements | 358(693) |
| S.V. Loginov | Errors in reconstructing the vertical profile of the aerosol scattering coefficient from the data of sounding of the twilight earth's atmosphere | 361(697) |
| A.V. En'shin | Propagation of biharmonic laser radiation resonant to spin frequencies through atmospheric and inert gases. Part 2 | 363(701) |
| I.G. Zakharova, Yu.N. Karamzin, and V.A. Trofimov | Some problems of compensation for the distortions of optical beams. Self-action and random distortions of profiled beams | 366(706) |
| B.D. Borisov and V.A. Krutikov | On remote detection of spatial anomalies of the wavy sea surface | 371(714) |
| M.L. Belov | Lidar return power in the case of sounding the atmosphere along a slightly slant path over foam covered sea surface | 376(724) |
| V.G. Arshinova, B.D. Belan, and T.M. Rasskazchikova | Results of climatic-ecological monitoring at TOR station. 1. Synoptic regime and meteorological parameters | 380(732) |

| | | |
|--|---|----------|
| V.S. Komarov and V.A. Remenson | Global-regional statistical models of the atmosphere as an informational basis for spaceborne observational systems | 386(741) |
| N.S. Kirillov and I.G. Polovtsev | Optimization of the Schmidt system by the compensation method | 391(751) |
| A.G. Il'in and Yu.E. Pol'skii | Structure and information content of narrow-band noise in lidar heterodyne detection systems | 394(757) |
| G.I. Il'in, O.G. Morozov, Yu.E. Pol'skii, V.T. Ternovskov, and N.G. Khairullin | Source of pulsed excitation energy for lasers of lidars | 397(762) |
| A.B. Gavrilovich | Spectropolarimetric video system for optical investigations of the atmosphere | 399(766) |
| B.A. Tarashchanskii, R.R. Mirgazov, and K.A. Pocheikin | BURKHAN stationary deep-water meter of hydrooptical parameters | 402(771) |
| V.A. Korshunov | A modification of local estimation of lidar signal by Monte Carlo method with simultaneous simulation of forward and backward photon trajectories | 404(775) |
| A.I. Isakova and [G.M. Igonin] | Adaptive time filtration of lidar returns | 407(782) |
| S.D. Andreev and L.S. Ivlev | Modeling of the aerosol optical characteristics in the atmospheric ground layer within 0.3–15 μm spectral range. I. Principles of constructing models | 410(788) |
| N.A. Vostretsov and A.F. Zhukov | On saturation of laser signal fluctuations in snowfall recorded by a nonpoint receiver | 414(796) |
| A.P. Rostov | Versatile multi-channel analog-to-digital converter for experimental study of the atmosphere | 415(798) |

Number 6

| | | |
|--|---|----------|
| Yu.I. Terent'ev | Investigation of factors engendering the edge light and peculiarities of its formation in optically denser and less dense media | 419(811) |
| [G.Ya. Patrushev], A.P. Rostov, and O.A. Rubtsova | Moments and probability density of saturated intensity fluctuations in the turbulent atmosphere | 423(819) |

| | | |
|---|---|----------|
| A.G. Prygunov, V.P. Sizov, and D.A. Bezuglov | Method for object movement determination based on analysis of optical field wavefronts using reference holograms | 427(826) |
| K.T. Protasov | Pattern recognition and automated classification of multicomponent video images under condition of statistical indeterminacy | 430(831) |
| Yu.N. Isaev and E.V. Zakharova | Laser beam intensity reconstruction from temperature field of a thin target | 435(841) |
| B.V. Kaul' | Lidar determination of oriented particles in crystal clouds | 439(847) |
| D.M. Kabanov and S.M. Sakerin | Results of investigations of the atmospheric water vapor column density using an optical hygrometry method. Part 1. Analysis of the method and results of its calibration | 442(852) |
| A.V. Fabrikov, N.L. Stal', and O.I. Aldoshina | Estimating the coordinates of a pulsed isotropic radiation source by the difference range finding method from the data of observation through clouds | 447(861) |
| V.M. Dorokhov and T.E. Potapova | Observations about the total ozone content in the atmosphere in high arctic latitudes | 451(868) |
| B.D. Belan, V.E. Meleshkin, I.E. Meleshkina, and G.N. Tolmachev | Results of climatic-ecological monitoring at the TOR station. II. Gaseous composition of near-ground air | 455(875) |
| V.S. Shamanaev | Potential of laser sensing of circumterrestrial space | 460(885) |
| S.I. Dolgii, V.V. Zuev, V.A. Kazyurin, V.N. Marichev, and A.I. Petrov | Preliminary results of experimental investigations of spectral sky brightness in the UV spectral range | 464(893) |
| A.K. Kuz'min and K.N. Chikov | Panoramic imaging monochromatic cameras for remote diagnostics of ionosphere and upper atmosphere from satellites | 466(897) |
| A.V. Sinyavskii | Diffuse path reflector | 473(910) |
| K.V. Gurkov, G.E. Kulikov, and V.P. Lopasov | Simple bichromatic laser emitter | 475(914) |
| R.F. Rakhimov and D.M. Romashov | Dependence of the light scattering phase matrix of crystal clouds on orientation and characteristic size of particles | 477(917) |

| | | |
|----------------------------------|--|----------|
| A.V. Vasil'ev and L.S. Ivlev | Numerical simulation of optical characteristics of spherical particles polydispersions | 479(921) |
| I.V. Kuznetsova and V.A. Fedorov | Enhancement of the speed of spectral analysis of the analytical signals | 484(929) |

Number 7

| | | |
|--|--|-----------|
| V.S. Komarov | Foreword | 487(939) |
| V.S. Komarov and A.V. Kreminskii | Optimal combination of alternative methods for spatial forecasting in problems of atmospheric ecological monitoring. I. Methodology and algorithms | 488(941) |
| V.S. Komarov and A.V. Kreminskii | Optimal combination of alternative methods for spatial forecasting in problems of atmospheric ecological monitoring. II. Results of numerical experiments | 496(958) |
| A.A. Isaev | Method of forecasting the annual trend of meteorological conditions for problems of atmospheric monitoring | 501(966) |
| P.N. Belov | Reconstruction of air pollution field in geographic regions based on a pollution transfer model | 507(977) |
| V.S. Komarov, S.A. Soldatenko, and S.S. Suvorov | Investigation of the sensitivity of models of pollutant transfer in the atmosphere (model and procedure) | 511(985) |
| S.A. Soldatenko, S.S. Suvorov, O.M. Sobolevskii, and V.S. Komarov | Identification of sources of atmospheric pollution | 515(993) |
| P.N. Belov and V.S. Komarov | Theoretical model of radionuclides spread after possible industrial emergency | 519(1001) |
| R.F. Rakhimov | Modelling of the aerosol processes for forecasting the vertical variability of light scattering parameters | 523(1009) |
| V.S. Komarov, S.A. Soldatenko, and A.N. Borisov | Method for forecasting the optical characteristics of the perturbed aerosol-cloudy atmosphere | 534(1030) |
| V.S. Komarov, V.I. Akselevich, A.I. Grishin, A.V. Kreminskii, N.Ya. Lomakina, and G.G. Matvienko | Simulation and extra short-term forecast of wind characteristics from the data of lidar wind sounding | 539(1039) |

| | | |
|--|--|-----------|
| A.I. Grishin, A.E. Zil'berman, and G.G. Matvienko | Lidar sensing of atmospheric precipitation | 545(1048) |
| A.I. Grishin and G.G. Matvienko | Lidar investigations of atmospheric aerosol in the wind shear layers | 549(1056) |
| E.V. Yarkho | Annual variations in atmospheric aerosol optical depth typical of different climatic zones | 553(1063) |
| D.M. Kabanov and S.M. Sakerin | Variability of total and spectral direct solar radiation fluxes in the vicinity of Tomsk in spring of 1993 | 558(1073) |
| E.I. Nezval' | UV-radiation trends in Moscow | 563(1081) |
| V.I. Akselevich and A.V. Tertyshnikov | Methodology of ecological monitoring data application to seismic forecasting | 567(1090) |
| A.I. Brodovich, S.A. Ikonnikov, E.I. Shabakov, and A.N. Kalinenko | Theory of numbers as applied to systolization of algorithms for numerical handling of images | 570(1097) |
| Yu.V. Gridnev and K.T. Protasov | Segmentation of multidimensional images by clustering algorithm based on a bilateral criterion for homogeneity | 574(1103) |
| M.V. Panchenko, V.V. Pol'kin, S.A. Terpugova, A.G. Tumakov, V.P. Shmargunov, and E.P. Yausheva | The formation of average regional aerosol background | 579(1112) |
| M.V. Kabanov and S.L. Odintsov | Annotated report on the project of climatic- ecological monitoring of Siberia as part of the regional scientific-engineering program Siberia | 581(1115) |

Number 8

| | | |
|---|--|-----------|
| T.I. Velichko, S.N. Mikhailenko, and Vl.G. Tyuterev | Spectroscopic parameters and potential function of HCl molecule | 587(1131) |
| V.V. Zuev, M.Yu. Kataev, M.M. Makogon, and A.A. Mitsel' | Differential absorption lidar method. Current status of research | 590(1136) |
| A.A. Zemlyanov and A.M. Kabanov | Energy thresholds and temporal characteristics of explosive boiling up and vaporization of aerosol particles in a CO ₂ -laser radiation field | 609(1165) |
| A.M. Sagalakov and A.M. Shaiduk | Propagation of limited laser beams in the inflammable aerosol | 612(1170) |

| | | |
|--|--|-----------|
| V.N. Marichev | Determination of the integral content of atmospheric trace gases from zenith measurements of the spectral sky brightness | 615(1175) |
| V.K. Kozlov and V.V. Turkin | Sounding of underlying surface using a fluorescent lidar | 618(1180) |
| M.Yu. Arshinov, B.D. Belan, V.K. Kovalevskii, and G.N. Tolmachev | Results of climatic-ecological monitoring at TOR station. III. Atmospheric aerosol | 620(1185) |
| S.N. Volkov and A.I. Nadeev | Efficiency of Raman lidar sounding of temperature profiles and scattering ratio with adaptive smoothing of signals | 624(1191) |
| A.L. Afanas'ev, [G.Ya. Patrushev], and A.P. Rostov | Preliminary results of the experimental study of a model for the spectral tensor of the wind velocity field in the ground atmosphere | 627(1195) |
| A.A. Popov | Applicability limits of the method of physical optics in the problems of light scattering by large crystals. II. Scattering by a rectangular plate | 630(1199) |
| A.V. Prokopov | Some aspects of the theory of astronomical refraction in the earth's atmosphere | 634(1206) |
| A.V. Fabrikov, O.I. Aldoshina, and A.V. Mamaeva | Estimation of time delays by the method of adaptive filtering with spline smoothing of signals | 638(1213) |
| V.V. Dyomin and V.V. Sokolov | Holographic recording of optically soft microparticles. Calculational procedure | 641(1218) |
| S.D. Andreev and L.S. Ivlev | Modeling of optical characteristics of near-ground atmospheric aerosol in the 0.3–15 μm wavelength range. II. Model of aerosol composition and structure | 646(1227) |
| S.D. Andreev and L.S. Ivlev | Modeling of optical characteristics of near-ground atmospheric aerosol in the 0.3–15 μm wavelength range. III. Results of modeling | 651(1236) |
| V.V. Veretennikov | Determination of aerosol microstructure from particle shadow correlation function by the method of the Fourier-Bessel series expansion | 656(1244) |
| K.M. Firsov and A.B. Smirnov | Representation of transmission functions by exponential series | 659(1248) |

Number 9

| | | |
|--|--|------------------------|
| R.F. Rakhimov | Change of optical and microphysical properties of aerosols during diffusion and sedimentation spread of anomalous aerosol layers in the mesosphere | 663(1259) |
| A.A. Popov | Applicability limits of the method of physical optics in the problems of light scattering by large crystals. III. Scattering by an infinitely long plate | 667(1266) |
| E.V. Makienko, Yu.A. Pkhalagov, R.F. Rakhimov, V.N. Uzhegov, and N.N. Shchelkanov | Analysis of microstructure features of the winter haze aerosol using the results of optical measurement data inversion | 671(1272) |
| A.I. Zhukov and M.A. Fedorov | Spatial and seasonal distribution of the molecular absorption of long-wave optical radiation in the atmosphere over northern part of the world's ocean | 676(1280) |
| G.Ya. Patrushev and O.A. Rubtsova | Phenomenological study of the probability density of the intensity fluctuations in turbulent atmosphere | 679(1284) |
| I.M. Sizova | Photodissociation and recombination of the ozone molecules | 682(1289) |
| V.I. Bukaty and T.K. Kronberg | Optical characteristics of heat-mass-halo of a carbon particles evaporating in a laser field | 700(1314) |
| V.P. Aksenov | Phase problem, wave-front dislocations and equation for the two-dimensional optical field intensity | 703(1319) |
| D.V. Vlasov, E.V. Zubkov, and S.I. Shamaev | Inversion of the lidar equation providing for small-angle scattering | 706(1324) |
| Yu.S. Balin, I.V. Znamenskii, V.E. Zuev, V.E. Mel'nikov, S.V. Samoilova, and A.A. Tikhomirov V.V. Zuev and O.A. Romanovskii | Russian spaceborne lidar "BALKAN" | 711(1332) |
| B.D. Belan, E.V. Pokrovskii, T.M. Rasskazchikova, and G.N. Tolmachev | Gas analysis of the atmosphere by the differential absorption method using CO ₂ lasers with different lasing line widths IV. Estimation of the effect of urban environment | 718(1344) 721(1349) |

| | | |
|--|--|-----------|
| P.K. Koutsenogii, N.S. Bufetov, E.I. Kirov, and S.I. Shuiskii | Dynamics of diurnal and seasonal cycles of aerosol formation in the atmosphere as it follows from measurements in Novosibirsk region | 725(1355) |
| V.V. Butov and S.V. Loginov | Reconstruction of the aerosol microphysical characteristics and ozone concentration from satellite observations of the Sun | 732(1366) |
| D.I. Shelefontyuk | Photon counting systems for laser sounding of the atmosphere | 737(1374) |
| V.V. Zuev, A.A. Mitsel', I.V. Ptashnik, and K.M. Firsov | Effect of doppler broadening of return signals on the accuracy of reconstructing the H ₂ O profiles from lidar data | 740(1378) |
| E.P. Gordov and A.Z. Fazliev | Qualitative analysis of the oxygen atmospheric model. ii. the source-sink pairs | 743(1383) |
| V.L. Veber | Numerical models for spatial correlation functions of wind wave slopes as applied to some problems of sea optics | 751(1394) |
| S.V. Afonin, V.V. Belov, and I.Yu. Makushkina | Simulation of upwelling thermal radiation scattered by aerosol allowing for surface temperature inhomogeneities. I. Point spread function | 756(1402) |
| V.A. Kapitanov, G.E. Kulikov, and V.I. Tyryshkin | Single-frequency dye laser with frequency tuning controlled by a program | 763(1411) |
| A.V. Bukharin and S.M. Pershin | Comments | 766 |

Number 10

| | | |
|--------------------------------|--|-----------|
| G.A. Titov and T.B. Zhuravleva | Spectral and integrated absorption of solar radiation in broken clouds | 767(1419) |
| B.V. Kaul' | Polarization anisotropy of light multiply backscattered on spherical particles | 772(1428) |
| O.V. Shefer | Theoretical investigation of optical radiation attenuation by crystalline aerosol | 776(1435) |
| V.A. Khlusov | Parametrization of the backscattering phase matrix of nonreciprocal media | 779(1441) |
| V.A. Khlusov | Characteristic equation for the backscattering phase matrix of reciprocal media | 782(1446) |

| | | |
|---|---|-----------|
| M.R. De Backer, D. Courtois, Yu.N. Ponomarev, and B.A. Tikhomirov | Combined spectrometer with a cw diode laser | 785(1451) |
| I.N. Smalikho | On measurement of the dissipation rate of the turbulent energy with a cw Doppler lidar | 788(1457) |
| V.A. Banakh, V.M. Sazanovich, and R.Sh. Tsvykh | Mean intensity of a reflected wave in a turbulent medium | 794(1467) |
| L.V. Antoshkin, N.N. Botygina, O.N. Emaleev, and V.P. Lukin | Efficiency of image correction when compensating for random wave-front tilt angles of radiation passed through the turbulent atmosphere | 798(1472) |
| Yu.E. Geints, A.A. Zemlyanov, and E.K. Chistyakova | Threshold of stimulated Raman scattering (SRS) in transparent drops | 803(1480) |
| K.T. Protasov | Rereconstruction of overcast fragments of video images as applied to statistics of satellite observations | 808(1488) |
| V.V. Zuev, A.V. El'nikov, V.D. Burlakov, M.V. Grishaev, and V.L. Pravdin | Laser sounding of stratospheric aerosol at 532 and 1064 nm wavelengths under SATOR and LITE programs in 1994 | 813(1496) |
| A.I. Zhukov, D.Ya. Kovalevskii, and M.A. Fedorov | Experimental detection of thermal blooming of an optical beam in an outdoor atmosphere | 817(1501) |
| I.A. Razenkov, A.P. Rostov, and N.A. Shefer | Preliminary results of laser-acoustic experiment on the study of the backscattering coefficient fluctuations in the atmospheric surface layer | 820(1506) |
| N.P. Krasnenko and L.G. Shamanaeva | Effect of underlying surface on acoustic wave propagation near the ground | 827(1517) |
| S.N. Volkov, B.V. Kaul', V.A. Shapranov, and D.I. Shelefontyuk | Some problems of selection of the narrow spectral intervals for purposes of laser sounding of the atmosphere | 833(1527) |
| Yu.I. Grin', A.V. Vernik, S.F. Zhuravlev, V.N. Moiseev, I.N. Nemtsov, V.A. Polunin, R.N. Pikhtelev, P.G. Philippov, and O.V. Shoronov | Long-path absorption IR-laser-based gas analyzer of the atmosphere with a difference frequency generator | 836(1531) |
| Yu.N. Isaev | Analytical technique for determining vector orthogonal polynomials of the phase gradient for arbitrary geometry of a receiving aperture | 841(1539) |
| G.G. Matvienko, O.V. Kharchenko, and T.A. Yarchuk | Choice of a wavelength of lidar system operation in an eye-safe spectral region | 843(1542) |

| | | |
|------------|---|-----------|
| G.A. Terez | On accuracy of separating the atmospheric spectral transparency into components | 845(1545) |
|------------|---|-----------|

| | | |
|---|--|-----------|
| A.A. Mitsel', I.V. Ptashnik, K.M. Firsov, and B.A. Fomin | Efficient technique for line-by-line calculating the transmittance of the absorbing atmosphere | 847(1547) |
|---|--|-----------|

Number 11

| | | |
|--|--|-----------|
| | Foreword | (1555) |
| A.M. Boichenko F.V. Karelina and S.I. Yakovlenko | Kinetic model of the XeF laser | 852(1557) |
| A.V. Karelina and S.I. Yakovlenko | Numerical simulation of a He-Ne-Ar-H ₂ laser pumped by a hard ionizer | 859(1568) |
| V.V. Lisenkov and V.V. Osipov | Numerical modeling of plasmochemical processes in active media of XeF and XeCl lasers pumped by a long pulse | 864(1575) |
| A.Yu. Kropanev, A.N. Orlov, and V.V. Osipov | Pulse-periodic XeCl laser with a system of gaseous mixture regeneration | 867(1579) |
| E.F. Balbonenko, V.A. Basov, V.A. Vizir', I.N. Konovalov, V.V. Chervyakov, and N.G. Shubkin | 10 J discharge XeCl laser | 871(1586) |
| N.G. Ivanov, S.E. Kovalenko, V.F. Losev, and Yu. N. Panchenko | The XeCl laser system with high spectral brightness | 873(1590) |
| A.M. Boichenko, R.I. Golyatina, S.A. Maiorov, and S.I. Yakovlenko. | Investigation of the volume lamp sources of emission | 776(1595) |
| M.I. Lomaev, A.N. Panchenko, and V.F. Tarasenko | Use of inductive energy storage generators for excitation of pulsed gas lasers | 883(1606) |
| M.G. Ivanov, S.V. Mukhachev, and V.V. Osipov | High power CO ₂ laser with a combined exitation system | 889(1616) |
| A.V. Nikiforov and A.N. Orlov | Repetitively pulsed TE-CO ₂ laser with a Q-switched resonator and long radiation pulse | 892(1622) |
| A.N. Soldatov, V.B. Sukhanov, V.F. Fedorov, and N.A. Yudin | Investigation of the CU-vapor laser with improved efficiency | 894(1626) |

| | | |
|---|--|-----------|
| V.F. Elaev | Measurement of the coefficients of resonance electron trapping by autoionization states of the Cu atom | 901(1637) |
| V.N. Ivanov | Conversion of the visible coherent radiation into the infrared one | 905(1642) |
| L.P. Vorob'eva, G.S. Evtushenko, V.M. Klimkin, M.M. Makogon, V.G. Sokovikov, N.A. Filonova, and V.A. Chikurov | Use of a copper vapor laser for remote sensing of iodine radionuclides | 908(1648) |
| V.T. Karpukhin, Yu.B. Konev, and M.M. Malikov | Sum frequency generation from copper vapor lasers | 911(1652) |
| A.L. Etsina, L.N. Butenko, and I.Sh. Etsin | Laser beam divergence meter | 915(1658) |
| T.V. Budtova, I.E. Suleimenov, and Yu.A. Tolmachev | Adaptive optical systems based on strongly swelling polyelectrolytic hydrogels | 917(1662) |
| A.I. Fyodorov | Some possibilities of increasing the efficiency of N ₂ lasers pumped with an electric discharge | 918(1664) |
| S.B. Alekseev and V.M. Orlovskii | Atmospheric pressure miniature nitrogen laser | 921(1669) |
| M.I. Dzyubenko, V.V. Maslov, V.P. Pelipenko, V.V. Shevchenko, S.M. Pilipenko, S.Yu. Kavetskas, A.A. Erokhin, L.P. Sorokin, and I.A. Usov | Zond-1 laser lithotriptor | 923(1672) |
| S.V. Nikolaev and V.V. Pozhar | Some peculiarities in formation of the polarization of a flash-lamp pumped dye laser radiation | 925(1676) |
| M.A. Buldakov, N.A. Zvereva, I.I. Ippolitov, and A.F. Terpugova | Photodissociation of water vapor by UV laser radiation | 927(1679) |
| P.A. Vorotnev, [A.G. Zhiglinskii], A.M. Izmailov, A.P. Lyutikov, and V.A. Ozolov | Investigation of partially violated mode competition in polychromatic pulsed dye laser | 930(1683) |
| V.G. Lizogub and V.S. Topuchkanov | Thyratron heating stabilization unit used in pulse-periodic lasers | 933(1687) |

| | | |
|--|--|-----------|
| V.G. Lizogub and V.S. Topuchkanov | Small-size power supply unit developing a 20 kV output voltage | 935(1690) |
| S.E. Karmazin, A.N. Kuryak, M.M. Makogon, and A.L. Tsvetkov | Automated fluorescence laser spectrometer | 937(1692) |
| A.S. Polyakevich and B.N. Poizner | Advantages of group analysis of differential equations in solving the problems on optimal control of laser systems | 940(1697) |
| O.V. Cheremisina, V.A. Evtushenko, and A.N. Soldatov | Prophylaxis and treatment of complications in lung cancer patients after combined treatment (operation + IORT) | 942(1701) |
| G.S. Evtushenko, V.P. Lopasov, V.V. Tatur, V.V. Startsev, V.Yu. Kashaev, and V.G. Lizogub | Laser show systems | 945(1704) |
| | Wide-aperture exciplex and excimer lamps | 946(1706) |

Number 12

| | | |
|--|--|-----------|
| V.E. Zuev, Yu.S. Balin, V.V. Zuev, G.G. Matvienko, and A.A. Tikhomirov | Second Interrepublic Symposium on Atmospheric and Ocean Optics | 947(1715) |
| V.A. Banakh, Ch. Werner, N.N. Kerkis, F. Kopp, I.N. Smalikho | State of the art and prospects for the development of the BALKAN series spaceborne lidars | 949(1718) |
| V.P. Lukin and B.V. Fortes | Turbulence measurements with a cw Doppler lidar in the atmospheric boundary layer | 955(1726) |
| B.A. Fomin | Ground-based spatial interferometers and atmospheric turbulence | 960(1733) |
| N.I. Komarov and I.M. Shkedov | Benchmark calculations of radiative fluxes and influxes in the atmosphere: history, methods, state of the art, and prospects | 966(1743) |
| Yu.V. Kistenev and I.A. Shevchuk | Laser radiation absorption by dense sodium vapor | 972(1752) |
| M.V. Panchenko and S.A. Terpugova | Spontaneous soliton formation in the region of resonant absorption of molecular media | 975(1757) |
| | Seasonal factors of the variability of the submicron aerosol characteristics. I. Air masses | 977(1761) |

| | | |
|---|---|------------|
| S.M. Sakerin, D.M. Kabanov, and V.V. Pol'kin | Optical investigations of the atmosphere during the 35th mission of the research vessel Akademik Mstislav Keldysh | 981(1767) |
| V.P. Pelevin and V.V. Rostovtseva | Estimation of chlorophyll concentration in sea water from measurements of spectral index of vertical light extinction | 989(1778) |
| I.V. Antoshkin, N.N. Botygina, O.N. Emaleev, L.N. Lavrinova, V.P. Lukin, A.P. Rostov, B.V. Fortes, and A.P. Yankov | Investigation of turbulence spectrum anisotropy in the ground atmospheric layer. Preliminary results | 993(1784) |
| N.A. Vostretsov and A.F. Zhukov | Probability density of light flux fluctuations in a narrow divergent laser beam under snow fall conditions | 997(1790) |
| V.A. Banakh, V.M. Sazanovich, and R.Sh. Tsvykh | Intensity fluctuations of laser radiation reflected from a disc of finite size | 1004(1799) |
| B.V. Goryachev, M.V. Kabanov, and S.B. Mogil'nitskii | Radiation propagation through spatially bounded media with high concentration of scatterers | 1010(1807) |
| S.V. Afonin, V.V. Belov, and I.Yu. Makushkina | Simulation of upwelling thermal radiation scattered by aerosol allowing for surface temperature inhomogeneities. II. Large-scale gradients | 1013(1812) |
| Yu.E. Geints and A.A. Zemlyanov | Theoretical model of sound generation due to phase changes in a liquid aerosol particle | 1020(1821) |
| V.V. Kolosov | Influence of fluctuations of the refractive index of an active medium on the characteristics of the X-ray laser emission | 1023(1825) |
| G.A. Titov and E.I. Kas'yanov | Solar radiative fluxes in the inhomogeneous stratus clouds | 1028(1833) |
| S.M. Prigarin and P.I. Sidorov | Simulation of the increase of the solar radiation intensity near the earth's surface under cloudy conditions | 1035(1843) |
| L.G. Shamanaeva | Determination of the outer scale of the atmospheric turbulence from the data of acoustic measurements | 1038(1847) |
| V.S. Komarov, V.A. Akselevich, A.V. Kreminskii, G.G. Matvienko | On the applicability of wind lidar measurements to investigations of local and regional climates | 1041(1851) |
| V.S. Komarov, V.S. Akselevich, A.V. Kreminskii, and H.Ya. Lomakina | Regional climatic models of wind and temperature altitude distributions in the atmospheric boundary layer | 1044(1855) |

| | | |
|--|--|------------|
| V.V. Reino, A.S. Tobolkin, and M. V. Sherstobitov | Thermography of local inhomogeneous plasma formations | 1052(1866) |
| J.I. Il'in, O.G. Morozov, and Yu.E. Pol'skii | LFM lidar with frequency conversion | 1055(1871) |
| A.V. Makhan'ko | Dynamically balanced X-Y-Z actuator of a segment of a controllable mirror | 1058(1875) |
| F.Yu. Kanev, L.N. Lavrinova, V.P. Lukin | Dynamic adaptive mirror in the algorithm of phase conjugation | 1061(1879) |
| V.P. Aksenov, V.A. Banakh, E.V. Zakharova, Yu.N. Isaev, and O.V. Tikhomirova | Diffraction tomographic wave front sensor | 1065(1884) |
| N.N. Mayer and V.A. Tartakovski | Relation between conjugation error and inverted field amplitude deviation | 1069(1889) |